

Lead Safe St. Louis

Benchmarks 2006

| | 2003 Baseline | 2004 Baseline | 2005 Baseline | 2006 Baseline ¹ |
|-------------------------------------------------------------------------------------|---------------|---------------|---------------|----------------------------|
| Blood Lead Testing - Children < 6 years | | | | |
| Number of Children At-Risk | 28,369 | 27,894 | 28,053 | 29,064 |
| Number of Children Tested | 12,011 | 13,249 | 11,227 | 12,552 |
| Rate tested (percentage of children <6 tested) | 42.34% | 47.50% | 40.02% | 43.19% |
| Number of Children Tested by City DOH | 979 | 1,037 | 1,388 | 1,804 |
| Rate tested (percentage of children <6 tested by City DOH) | 8.15% | 7.83% | 12.40% | 14.37% |
| Number of Children Tested by Other Providers | 11,032 | 12,212 | 9,839 | 10,748 |
| Rate tested (percentage of children <6 tested by Other Providers) | 91.85% | 92.17% | 87.60% | 85.63% |
| Prevalence of Children with EBL ≥ 10 µg/dL | 1,638 | 1,189 | 1,025 | 931 |
| Rate tested | 13.64% | 8.97% | 9.13% | 7.40% |
| Prevalence of Children with EBL ≥ 20 µg/dL | 217 | 184 | 183 | 137 |
| Rate tested | 1.81% | 1.39% | 1.63% | 1.10% |
| Education/Outreach | | | | |
| Lead Information Hotline Calls Fielded ² | | 115 | 237 | 382 |
| Educational Program Attendees | | 8,202 | 7,012 | 3,770 |
| Families using HEPA vacuum loans | | 102 | 177 | 117 |
| Relocation | | | | |
| Families Relocated to Lead Safe Units Temporarily | | 39 | 12 | 8 |
| Families Relocated to Lead Safe Units Permanently | | 0 | 1 | 17 |
| Lead Evaluations | | | | |
| Pre-1950 Units | 95,091 | 95,091 | 95,091 | 95,091 |
| Pre-1978 Units | 138,000 | 138,000 | 138,000 | 138,000 |
| Total Housing Units (based on 2000 census data) | 147,076 | 147,076 | 147,076 | 147,076 |
| Referrals for Lead Evaluations | | 1,144 | 920 | 1,084 |
| Referrals for EBL Investigations | | 492 | 422 | 518 |
| Rate of EBL Referrals | | 43.01% | 45.87% | 47.79% |
| Total Housing Units with Lead Evaluations Performed | 405 | 1169 | 723 | 742 |
| Enforcement Actions | | | | |
| Violation Notices | N/A | 459 | 458 | 539 |
| Court Referrals | N/A | 107 | 125 | 73 |
| Lead Safe By Hazard Controls (Abatement and/or Interim Controls)³ | | | | |
| Units Receiving Hazard Controls By City Crews | 141 | 108 | 119 | 136 |
| Units Receiving Hazard Controls By City Building Division Contractors | 71 | 99 | 79 | 92 |
| Units Receiving Hazard Controls by CDA & Community Partner Contractors | 78 | 62 | 12 | 36 |
| Units Receiving Full Abatement | 9 | 4 | 0 | 4 |
| Units Made Lead-Safe Through HUD Grants | 290 | 269 | 210 | 268 |
| Units Receiving Hazard Controls By Property Owner | N/A | 97 | 207 | 162 |
| Units Receiving Hazard Controls through HUD Residential Development | 30 | 145 | 60 | 55 |
| Units Receiving Hazard Controls through Healthy Home Repair Program | N/A | 6 | 70 | 69 |
| Total Units Designated Lead Safe via Hazard Controls | 320 | 517 | 547 | 554 |
| Lead-Safe Status By Other Determinations | | | | |
| Post 1978 Property (New Construction - Lead Free) | 1109 | 420 | 1100 | 473 |
| Units Designated Lead Safe by No Violation (Risk Assessment) | N/A | 538 | 239 | 203 |
| Total Units Designated Lead Safe by Other Determinations | 1109 | 958 | 1339 | 676 |
| Grand Total Lead Safe Properties | | | | |
| Hazard Controls and Other Determinations | 1429 | 1475 | 1886 | 1230 |
| Units Reaching Clearance By Grant Production / Partners | | | | |
| HUD 2001 Lead Hazard Control Grant (Complete 03/05) ⁴ | 287 | 622 | 649 | 649 |
| HUD 2003 Lead Hazard Reduction Demonstration Grant/Target 250 ⁴ | N/A | 87 | 166 | 238 |
| HUD 2004 Lead Hazard Control Grant/Target 600 ⁴ | N/A | N/A | 74 | 170 |
| HUD 2004 Lead Hazard Reduction Demonstration Grant/Target 600 ⁴ | N/A | N/A | 30 | 146 |
| Grace Hill Neighborhood Health Centers ⁵ | N/A | 0 | 103 | 323 |

¹Through December 2006

²Hotline service began July 2004

³2002 Data is not broken out by line item because the data is not readily accessible

³Clearance of "Units Receiving Hazard Controls by Property Owner" began in August 2004

⁴These numbers reflect the entire grant period

⁵These numbers reflect the entire grant period as of December 31, 2006: Grace Hill has 441 projects under contract; 532 Inspection/Risk Assessments completed; 494 Units Cleaned; 557 consents to participate

*2006 Data as of December 2006
(2006 data are provisional)